

Promultis Payment Kiosk

The Promultis Payment Kiosk is a 32" 10 Touch PCAP Touchscreen Kiosk Perfect For Restaurants. With a Built-in i7 PC, Thermal Printer, & Barcode Scanner.



Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]



For more exciting multitouch products visit
www.promultis.info
or call +44 (0) 239 251 2794

SPECIFICATIONS	
Panel size	32" IPS-LCD
Display area(mm)/mode	698(W)x392(H)
Maximum resolution	1920x1080
Display colour	16.7M
Pixel pitch(mm)	0.36(H)x0.36(V)
Brightness (nits)	450cd/m ²
Contrast	2000:1
Visual angle	178°/178°
Response time	5ms
Life(hrs)	>60,000(hrs)
INPUT & OUTPUT	
HDMI	1
USB	4
Wifi	1
Lan	1
Audio	1
Barcode scanner	1
Thermal printer	1
Speaker	2x5W (9 Ω)
VIDEO	
Colour system	PAL/NTSC/SECAM

Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]



For more exciting multitouch products visit
www.promultis.info
 or call +44 (0) 239 251 2794

POWER	
Power supply	AC100~240V 50 /60 HZ
Maximum power consumption	≤150W
Standby power consumption	<5W
INPUT & OUTPUT	
Working temperature	0°C~50°C
Storage temperature	-20°C~60°C
Working humidity	85%
Storage humidity	85%
APPEARANCE	
Case	Metal case SPCC
Installation	Floor-standing
Certificate	CE FCC
Quality Standard	ISO9001,CCC
PC	
Main chipset	I7-10870H
CPU	I7-10870H 2.3GHz
System bus frequency	2933 MHz
Graphics card	Intel UHD Graphics
Audio card	Integrated AC97
Network card	Integrated 10/100/1000M adaptive
Memory	8G DDRIII

Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]



For more exciting multitouch products visit
www.promultis.info
 or call +44 (0) 239 251 2794

Hard Disk	128G SSD
WIFI	Included
Operation system	Windows 10 trial version
TOUCH PANEL	
Specification	Capacitive touch
Positioning accuracy	±2mms
Transmittance	≥92%
Hardness	7H
Click manner	10 points
Response time	≤10ms
Life time	More than 600 million times
DETAILED FUNCTIONS	
Video format	MPEG1/MPEG2/MPEG4/DivX/ASP/WMV/AVI
Audio format	Wave/MP3/WMA/AAC
Image format	JPEG/BMP/TIFF/PNG/GIF
Image resolution	480P/720P/1080P
WEIGHT	
Weight	36KG



Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]



For more exciting multitouch products visit
www.promultis.info
 or call +44 (0) 239 251 2794



Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]



For more exciting multitouch products visit
www.promultis.info
or call +44 (0) 239 251 2794