



[promultis]

Electra Touch Screen

Offering Full HD 1080p and 4K UHD, the picture quality is excellent and the touch response is superb. The screen is perfect for Business, Education and Commercial use.




Tough Anti Scratch /
Anti Glare Surface



HDMI, VGA, and
USB Connectivity



3 Year on-site
Warranty



10 Touch Points with
Projected Capacitive
Technology



32inch, 1080p HD
Back-lit, LED Screen



43inch, 4K UHD,
Back-lit LED Screen

Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown.

DISPLAY PANEL	
Screen Size	32" TFT-LCD
Display area	392mm (H) x 696.2mm (W) 16:9
Maximum Resolution	1920 x 1080
Display color	16.7M
Pixel Pitch(mm)	0.1845 (H) x 0.1845 (V)
Brightness (cd/m2)	2500 nit
Contrast (Type)	35000 : 1
Visual angle	178°/178°
Response time	8ms
Life (hrs)	>50,000 (hrs)
TOUCH	
Specification	Projected Capacitive
Touch points	10
FEATURES	
Main chipset	MSD6A828, Quad Core
RAM	2GB
ROM	16GB
Android version	Android 5.0.1
MECHANICAL	
Monitor Size	756mm (w) x 450mm (h) x 48mm (d)
Colour	Black
Case	Metal +Aluminium


CONNECTIVITY	
HDMI	2
USB 3	2
USB 2	1
RGB PC in	1
L/R audio input	1
L/R audio output	1
Speaker	2×5W(8Ω)
POWER	
Input Voltage	AC100 ~ 240V 50 /60 HZ
Maximum power consumption	<80W
Standby power consumption	<1W
TEMPERATURE	
Working temperature	0°C ~ 50°C
Storage temperature	-20°C ~ 60°C
Working humidity	10%~90%
WARRANTY	
3 year on-site warranty as standard	
Extended warranties and SLA's available at an additional cost	

Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown.





[promultis]

32inch Electra Touch Screen with Projected Capacitive Technology



Connectivity



Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown.

DISPLAY PANEL	
Screen Size	43" TFT-LCD
Display area	940mm (H) x 527mm (W) 16:9
Maximum Resolution	1920 x 1080
Display color	16.7M
Pixel Pitch(mm)	0.1845 (H) x 0.1845 (V)
Brightness (cd/m ²)	350cd/m ²
Contrast (Type)	2000 : 1
Visual angle	178°/178°
Response time	5ms
Life (hrs)	>60,000 (hrs)
TOUCH	
Specification	Projected Capacitive
Positioning	±2mms
Transmittance	≥92%
Hardness	7H
Touch points	10
Response time	≤10ms
MECHANICAL	
Monitor Size	1010mm (w) x 597mm (h) x 65mm (d)
Colour	Black
Case	Metal + Aluminium


CONNECTIVITY	
HDMI	1
USB	2
VGA	1
RJ45	1
L/R audio input	1
L/R audio output	1
Speaker	2×5W(8Ω)
POWER	
Input Voltage	AC100 ~ 240V 50 /60 HZ
Maximum power consumption	<90W
Standby power consumption	<5W
TEMPERATURE	
Working temperature	0°C ~ 50°C
Storage temperature	-20°C ~ 60°C
Working humidity	85%
Storage humidity	85%
WARRANTY	
3 year on-site warranty as standard	
Extended warranties and SLA's available at an additional cost	

Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown.



[promultis]

43inch Electra Touch Screen with Projected Capacitive Technology



Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown.