




[promultis]

Promultis Totem *DLP*



[promultis]
MULTITOUCH SOLUTIONS


For more exciting multitouch products visit
www.promultis.info
or call +44 (0) 239 251 2794



[promultis]

Promultis Totem

DLP



Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown.



[promultis]
MULTITOUCH SOLUTIONS

For more exciting multitouch products visit
www.promultis.info
or call +44 (0) 239 251 2794



[promultis]

Promultis Totem

DLP

SPECIFICATIONS

Panel Size	55" TFT-LCD
Display Area (mm) / Aspect Ratio	(W)1209.6x(H)680.4 / 16:9
Maximum resolution	1920 x 1080
Display Colour	16.7M
Pixel Pitch (mm)	(H)0.63 x (V)0.63
Brightness (nits)	450cd/m2
Contrast	3000:1
Visual Angle	178°/178°
Response Time	5ms
Life (hrs)	>60,000(hrs)

INPUT & OUTPUT

HDMI	1
USB	4
VGA	1
Audio	1
Lan	1
Speaker	2x5W(9Ω)

VIDEO

Colour System	PAL/NTEC/SECAM
---------------	----------------

SCREEN MENU DISPLAY

Menu Language	English
---------------	---------

POWER

Power Supply	AC100~240V 50/60Hz
Maximum Power Consumption	≤380W
Standby Power Consumption	<5W

DETAILED FUNCTIONS

Video Format	MPEG1/MPEG2/MPEG4/DivX/ASP/WMV/AVI
Audio Format	Wave/MP3/WMA/AAC
Image Format	JPEG/BMP/TIFF/PNG/GIF
Image Resolution	480p/720p/1080p

TEMPERATURE

Working Temperature	0°C~50 °C
Storage Temperature	-20°C~60°C
Working Humidity	85%
Storage Humidity	85%

APPEARANCE

Colour/Appearance	White/Black/Customised
Case	Metal case SPCC
Installation	Floor-standing
Certificate	CE FCC
Quality Standard	ISO9001 , CCC

TOUCH PANEL

Specification	Infrared Touch
Accuracy	±2mms
Transmittance	≥92%
Hardness	7H
Click manner	10 Points
Response Time	≤10ms
Life Time	More than 600,000,000 Times

COMPUTER SPECIFICATIONS

Main Chipset	NM70M-I7M2
CPU	I7-3520M 2.9GHz-3.6GHz
System bus frequency	800/1066/1333MHz
Graphics Card	Integrated
Audio Card	Integrated AC97
Network Card	Integrated 10/100/1000M Adaptive
Memory	4G DDRIII
Hard Disk	128G SSD
Wi-Fi	Included
OS	Windows Trial Version

Product design specifications including dimensions are subject to change without notice and may vary from those shown.



[promultis]
MULTITOUCH SOLUTIONS

For more exciting multitouch products visit
www.promultis.info
or call +44 (0) 239 251 2794