




[promultis]

65 inch Tetra Table Elite

The Promultis Tetra Table is a complete multi touch, collaborative interactive surface solution that has electric adjustable height capability.



The Promultis Tetra Elite is a fixed, four-legged, 65" 4K electrically height-adjustable 50 Touch point projected capacitive collaborative interactive table.

Its sexy and sleek design and high specification mean it will fit into literally every type of environment whether being used in a reception area, as an interactive games table, in a marketing or sales suite, or in a meeting room.

Driven by an android backend, you can install apps from the play store or add the optional windows i7 OPS PC which slots neatly inside the table or use your own PC, laptop, or another device to drive it too.

Promultis Tetra Elite tables are ideal for:

- Marketing Suites
- Reception Areas
- Exhibition Stands
- Museums
- Libraries
- Play Areas



Interactive surface area

The table provides a large working surface area allowing several users to collaborate all at the same time. Users can control the content they see by using natural gestures such as pinch, zoom and drag.



Software options

The Snowflake Suite Ultimate is perfect for education and training, its fully featured with all over 52 apps, including presentation, creativity and productivity tools, as well as games. It is intuitive and easy to use and customisable to suit your needs.



Promultis White Board Software

The Tetra Table Elite also comes with our industry renowned UboardMate interactive whiteboard software, which allows you to interact with the screen content in a multitude of fun and creative ways, perfect for education and training.



Immerse Bespoke Interactive Software from Promultis

Promultis offers a bespoke software creation service where our software development team will create a multitouch interactive experience to run on your touch table. Visit our website at <https://immerse.promultis.info/> for example applications and case studies.



Panel	
Screen Size	65" (64.53")
Panel Technology	TFT LCD
Display Resolution	3840 x 2160
Brightness (Type)	350 cd / ²
Contrast (Type)	1200 : 1
Response Time (Grey To Grey)	9 ms
Frame Rate	60 Hz
Viewing Angle (H / V)	178° / 178°
Display Colors	1.07B (10-bit)
Backlight Type	Direct LED
Service Life	> 30,000 Hours
Installation	Flat Horizontal
Touch	
Detection Method	P-CAP Bonded
Available Touch Point	10 Point
Response Time (Type)	<= 15ms
Minimum Response Size	>= Φ6 mm
Communication Interface	USB
Key	
Number	3
Function	Home/Up/Down



Connectivity	
HDMI2.0 Input(s)	1
HDCP	HDCP 2.2
DisplayPort 1.2Input(s)	1
Audio / Headphone Output(s)	1 (Mini Jack)
USB 3.0Port(s)	1 (Type-A)
USB 2.0Port(s)	1 (Type-A)
RS-232C Port(s)	1 (Mini Jack)
LAN Port(s)	1 (RJ45 for 10/100 BaseT)
SPDIF	Optical
WI-Fi Module	802.11b/g/n
Touch Out	1 (USB Type-B)
Bluetooth Version	4.0
Smartphone Connectivity	Miracast™/MHL
Sound	
Audio Power Output (RMS)	15Wx2
Subwoofer	15W
Speaker Position	Side
Sound Mode	Standard / Music / Movie / User
Supplied Accessories	
AC Power Cable / Operating Instructions / Quick Start Guide / Remote Control /Guarantee Card	

Smart System	
CPU	ARM Cortex A53x4 1.5GHz
GPU	Mali 450 MP4
Operating System	Android 5.0.1
Memory	2 GB
On-Board Storage	16GB
OSD	
OSD Language Function	English
OSD Key Lock Function	Yes
Power	
Power Supply	AC 100-240 V 50 / 60Hz
Power Consumption (in Operation)	280W
Power Consumption (in Standby)	<= 0.5 W
Environmental	
Operation Temperature	0 - 40°C
Storage Temperature	-20 - 60°C
Operation Humidity	20 - 80 %RH (No Condensation)
Storage Humidity	10 - 90 %RH
Warranty	
Our 1 year repair and replacement warranty with remote hardware support means that we will try to solve any issues remotely before organising a hardware replacement if needed	



[promultis]

65 inch Tetra Touch Table Elite Connectivity



PC Module options	
Model	OPS2
Operating System	Windows 7 / windows 8 / windows 10/ Linux / DOS
CPU	Intel® Core™ i7 Processor
Chipset	Integrated
Graphics	Integrated
Memory	4 GB Up to 16 GB Dual Channel, SO-DIMM DDR4 2 x SO-DIMM,Max.32GB
Storage	2.5" 500 GB Up to 2 TB SATA Hard Drive 128 GB Up to 256 GB M.2 NGFF 2242 SSD (optional)
Wireless Data	802.11 a/b/g/n/ac, Bluetooth V4.0
LAN	10/100/1000 Mbps
Audio	High Definition 5.1 Channel Audio
I/O Ports	2 x USB 3.0 2 x USB 2.0 1 x HDMI 1 x RJ45 LAN 2 x Audio Jack(s) (Line OUT/Mic)
Dimensions	180mm(L) x 119mm(W) x 30mm(H)
Weight	1 Kg





[promultis]

65 inch Tetra Touch Table Elite

