




[promultis]

Vista Pro Outdoor Screens



65" - 75"

ACTIVE DISPLAY AREA




SOLID STATE DESIGN
VIRTUALLY MAINTENANCE FREE
NO FANS OR AIR-CON NEEDED



HDMI & USB CONNECTIVITY



FREE STANDING, CEILING HANGING
OR WALL MOUNTED



1 YEAR ON-SITE WARRANTY



HIGH BRIGHTNESS, LED HD SCREEN
2500 NITS



TEMPERED GLASS WITH AR COATING



FULLY-SEALED ENCLOSURE WITH IP66 COMPLIANCE
TO ENSURE DUST FREE AND WATERPROOF









[promultis]
MULTITOUCH SOLUTIONS

For more exciting multitouch products visit
www.promultis.info
or call +44 (0) 239 251 2794



[promultis]

Vista Pro Outdoor Screens





[promultis]

Vista Pro Outdoor Screens

	65"	75"
Active Display Area (W x H) (mm)	1428.48 x 803.52	1649.664 x 927.936
Resolution (px)	3840 x 2160	3840 x 2160
Aspect Ratio	16:9	
Brightness (nits)	2500	2500
Backlight Adjustment	Automatic (Ambient Light Sensor)	
Viewing Angle	178 °/178 °	
Backlight Configuration	Direct LED	
Operation Life Cycle-mbtf	50,000 (hours)	
Glass type	Tempered Glass	
POWER		
AC Input	110V / 220V AC, 50-60Hz	
Power consumption	425W	543W
ENVIRONMENTAL		
IP Rating	IP66	
Operating Environment	Fully Outdoor	
Operating Temperature	-20 °C ~ 45 °C (-4 °F ~ 113 °F)	
Operating Humidity	5%~98%	
Operating Altitude	≤2000m	
MECHANICAL		
Dimensions (W x H x D (mm)	1527 x 902 x 104	1748.5 x 1027 x 104
Net Weight (kg)	112	137
Enclosure Material	Galvanised Steel + Aluminium	
Finishing	Zinc Powder Coating + Fine Grain Powder Coating	
Colour	Black (Ral 9005)	
MEDIA		
	(HDMI In) Standard	(Android OS) Option
OS	N/A	Android 11
CPU	RTD2483	RK3568A, Quad-Core, Max 2.0 Ghz
GPU	N/A	Mali - 764
Memory	N/A	4GB
ROM	N/A	32GB
HDMI Input	HDMI (x1), 480i, 480p, 720p, 1080i, 1080p, 2160p (65", 75")	HDMI (x1), 480i, 480p, 720p, 1080i, 1080p
USB Data Input	No	USB 2.0 (x1)
Analog Audio Output	3.5mm Headphone Jack (x1)	3.5mm Headphone Jack (x1)
Ethernet	No	RJ - 45 (x1)
Wi-Fi	No	802.11/b/g/n



[promultis]
MULTITOUCH SOLUTIONS

For more exciting multitouch products visit
www.promultis.info
or call +44 (0) 239 251 2794